L Number	Hits	Search Text	DB	Time stamp
3	651	(adaptive or dynamic) with (default or	USPAT;	2004/11/05 11:53
		initial) with (rate or speed)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
5	447	((adaptive or dynamic) with (default or	USPAT;	2004/11/05 11:53
·		initial) with (rate or speed)) and	US-PGPUB;	
		@ad<20010508	EPO; JPO;	
	-		DERWENT;	
6	117	(((adaptive or dynamic) with (default or	IBM_TDB USPAT:	2004/11/05 11:54
0	11,	initial) with (rate or speed)) and	US-PGPUB;	2004/11/05 11.54
		@ad<20010508) and quality	EPO; JPO;	
		• • •	DERWENT;	`
			IBM_TDB	
7	15	,	USPAT;	2004/11/05 11:56
		initial) with (rate or speed)) and	US-PGPUB;	
		@ad<20010508) and quality) and interleav\$3	EPO; JPO;	-
	-		DERWENT;	
	252	adaptive with (default or initial) with	IBM_TDB USPAT;	2004/11/05 11:56
8	252	adaptive with (default or initial) with (rate or speed)	US-PGPUB;	T004/11/02 11:20
		\Tues of speed/	EPO; JPO;	
			DERWENT;	,
			IBM_TDB	
9	158	(adaptive with (default or initial) with	USPAT;	2004/11/05 11:56
		(rate or speed)) and @ad<20010508	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		// 7 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	IBM_TDB	2004/11/05 11 56
10	53	((adaptive with (default or initial) with	USPAT;	2004/11/05 11:56
		(rate or speed)) and @ad<20010508) and quality	US-PGPUB; EPO; JPO;	
		quarity	DERWENT;	
		·	IBM TDB	
11	47	(((adaptive with (default or initial) with	USPAT;	2004/11/05 11:57
		(rate or speed)) and @ad<20010508) and	US-PGPUB;	
		quality) and (messag\$3 or signaling or	EPO; JPO;	
		command or value)	DERWENT;	
1.0		////- a / - / - / - / - / / - / -	IBM_TDB	2004/11/05 11.50
12	15	((((adaptive with (default or initial) with (rate or speed)) and @ad<20010508) and	USPAT; US-PGPUB;	2004/11/05 11:58
		quality) and (messag\$3 or signaling or	EPO; JPO;	
		command or value)) and (wireless or (high	DERWENT;	
		adj frequency))	IBM TDB	
15	149		USPAT;	2004/11/05 11:59
·			US-PGPUB;	
		·	EPO; JPO;	
			DERWENT;	
16	وا	adaptive with (default or initial) with rate	IBM_TDB USPAT;	2004/11/05 11:59
10		same quality	US-PGPUB;	2004/11/03 11:39
		quartoj	EPO; JPO;	
[·			DERWENT;	
			IBM_TDB	
17	5	(adaptive with (default or initial) with	USPAT;	2004/11/05 12:00
		rate same quality) and @ad<20010508	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	,
18	20	(initial or default) adj rate with quality	IBM_TDB USPAT;	2004/11/05 12:00
10		timetal of default, adj race with quality	US-PGPUB;	2004/11/03 12.00
1	,		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
19	11	((initial or default) adj rate with quality)	USPAT;	2004/11/05 12:00
		and @ad<20010508	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
L	1		IBM_TDB	

L Number	Hits	Search Text	DB	Time stamp
3		(adaptive or dynamic) with (default or	USPAT;	2004/11/05 11:53
		initial) with (rate or speed)	US-PGPUB;	·
		_	EPO; JPO;	
			DERWENT;	
_			IBM_TDB	
5	447	((adaptive or dynamic) with (default or	USPAT;	2004/11/05 11:53
		initial) with (rate or speed)) and @ad<20010508	US-PGPUB; EPO; JPO;	
		Wau<20010506	DERWENT;	
			IBM TDB	
6	117	(((adaptive or dynamic) with (default or	USPAT;	2004/11/05 11:54
		initial) with (rate or speed)) and	US-PGPUB;	
		@ad<20010508) and quality	EPO; JPO;	
			DERWENT;	
_			IBM_TDB	2004/11/05 11 56
7	15	((((adaptive or dynamic) with (default or	USPAT;	2004/11/05 11:56
		initial) with (rate or speed)) and @ad<20010508) and quality) and interleav\$3	US-PGPUB; EPO; JPO;	
		wad<20010508) and quality) and incerteav\$3	DERWENT;	
			IBM TDB	
8	252	adaptive with (default or initial) with	USPAT;	2004/11/05 11:56
		(rate or speed)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(-7	IBM_TDB	2004/17/25 77 77
9	158	(adaptive with (default or initial) with	USPAT;	2004/11/05 11:56
		(rate or speed)) and @ad<20010508	US-PGPUB; EPO; JPO;	
			DERWENT;	
,			IBM TDB	
10	53	((adaptive with (default or initial) with	USPAT;	2004/11/05 11:56
		(rate or speed)) and @ad<20010508) and	US-PGPUB;	
		quality	EPO; JPO;	
			DERWENT;	
	4.7		IBM_TDB	2004/11/05 11.57
11	47	(((adaptive with (default or initial) with (rate or speed)) and @ad<20010508) and	USPAT; US-PGPUB;	2004/11/05 11:57
		quality) and (messag\$3 or signaling or	EPO; JPO;	
		command or value)	DERWENT;	
			IBM TDB	
12	15	((((adaptive with (default or initial) with	USPAT;	2004/11/05 11:58
		(rate or speed)) and @ad<20010508) and	US-PGPUB;	
		quality) and (messag\$3 or signaling or	EPO; JPO;	
		command or value)) and (wireless or (high	DERWENT;	
15	149	adj frequency)) adaptive with (default or initial) with rate	IBM_TDB USPAT;	2004/11/05 11:59
	147	adaptive with (default of initial) with face	US-PGPUB;	
		1	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
16	9	adaptive with (default or initial) with rate	USPAT;	2004/11/05 11:59
		same quality	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
17	5	(adaptive with (default or initial) with	USPAT;	2004/11/05 12:00
		rate same quality) and @ad<20010508	US-PGPUB;	, ==, == ====
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/12/05 12 5
18	20	(initial or default) adj rate with quality	USPAT;	2004/11/05 12:01
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
19	11	((initial or default) adj rate with quality)	USPAT;	2004/11/05 12:00
		and @ad<20010508	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

L Number	Hits	Search Text	DB	Time stamp
1	16	link adj quality adj analysis	USPAT;	2004/11/05 14:51
			US-PGPUB;	[
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
2	16	(link adj quality adj analysis) and	USPAT;	2004/11/05 14:51
		@ad<20010508	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
.			IBM TDB	
3	3	((link adj quality adj analysis) and	USPAT;	2004/11/05 15:11
ا ا		@ad<20010508) and ((dynamic or adaptive)	US-PGPUB;	2001, 22, 00 20,22
		with (rate or speed))	EPO; JPO;	
		with (late of speca)	DERWENT;	
			IBM TDB	
c	20	(dofault or initial) add rate add central	USPAT;	2004/11/05 15:12
6	28	(default or initial) adj rate adj control	,	2004/11/05 15:12
			US-PGPUB;	· .
		,	EPO; JPO;	
			DERWENT;	
_		(42.5.2)	IBM_TDB	2004/11/05 15 12
7	22	((default or initial) adj rate adj control)	USPAT;	2004/11/05 15:13
		and @ad<20010508	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
8	1160	(adaptive or dynamic or variable) with	USPAT;	2004/11/05 15:14
		(default or initial) with rate	US-PGPUB;	
	•		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
9	117		USPAT;	2004/11/05 15:15
		(default or initial) with rate) and analysis	US-PGPUB;	
		and quality	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
10	92	((adaptive or dynamic or variable) with	USPAT;	2004/11/05 15:15
		(default or initial) with rate) and analysis	US-PGPUB;	
		and quality and @ad<20010508	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
11	31	(((adaptive or dynamic or variable), with	USPAT;	2004/11/05 16:19
		(default or initial) with rate) and analysis	US-PGPUB;	
		and quality and @ad<20010508) and (wireless	EPO; JPO;	
		or radio or (high adj frequency))	DERWENT;	
			IBM TDB	
12	319	data adj rate adj change	USPAT;	2004/11/05 16:20
		J - J -	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
13	3	(data adj rate adj change) and (exchang\$3	USPAT;	2004/11/05 16:20
		adj (message or command or value))	US-PGPUB;	
[aaj (moodage of command of varae))	EPO; JPO;	
			DERWENT;	
			IBM TDB	
L			T DIJ I I I I	<u> </u>

	F000	(initial an default) add mate	USPAT;	2004/11/05 12:02
20	5899	(initial or default) adj rate	US-PGPUB;	2004/11/05 12:02
			EPO; JPO;	
			DERWENT;	
	1017	//:::::::	IBM_TDB	2004/11/05 12:02
21	1017	((initial or default) adj rate) and	USPAT;	2004/11/05 12:02
		(wireless or (high adj frequency) or radio)	US-PGPUB;	
			EPO; JPO;	
		1	DERWENT;	
	252	(//:::::::::::::::::::::::::::::::::::	IBM_TDB	2004/11/05 12:03
22	253	(((initial or default) adj rate) and	USPAT;	2004/11/05 12:03
		(wireless or (high adj frequency) or radio))	US-PGPUB;	
		and ((measur\$3 or monitor\$3) with quality)	EPO; JPO;	
			DERWENT; IBM TDB	
22	212	(///initial or default) add rate \ and	USPAT:	2004/11/05 12:03
23	213	((((initial or default) adj rate) and	US-PGPUB;	2004/11/05 12:03
		<pre>(wireless or (high adj frequency) or radio)) and ((measur\$3 or monitor\$3) with quality))</pre>	EPO; JPO;	
		and ((measures of monitores) with quality))	DERWENT;	
		and (race with configuras)	IBM TDB	
24	19	(((((initial or default) adj rate) and	USPAT;	2004/11/05 12:03
27	19	(wireless or (high adj frequency) or radio))	US-PGPUB;	2004,11,03 12.03
	İ	and ((measur\$3 or monitor\$3) with quality))	EPO; JPO;	
		and (measures of monitores) with quarity/ and (rate with configur\$5)) and (transmitter	DERWENT;	
		and (race with configuras), and (transmitter and receiver)	IBM TDB	
		and receiver)	111111111111111111111111111111111111111	

L Number	Hits	Search Text	DB	Time stamp
1	16	link adj quality adj analysis	USPAT;	2004/11/05 14:51
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
2	16	(link adj quality adj analysis) and	USPAT;	2004/11/05 14:51
		@ad<20010508	US-PGPUB;	·
			EPO; JPO;]
			DERWENT;	
			IBM_TDB	
3	3	((link adj quality adj analysis) and	USPAT;	2004/11/05 15:11
		@ad<20010508) and ((dynamic or adaptive)	US-PGPUB;	
		with (rate or speed))	EPO; JPO;	
	,		DERWENT;	•
			IBM_TDB	
6	28	(default or initial) adj rate adj control	USPAT;	2004/11/05 15:12
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
7	22	((default or initial) adj rate adj control)	USPAT;	2004/11/05 15:13
		and @ad<20010508	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
8	1160	(adaptive or dynamic or variable) with	USPAT;	2004/11/05 15:14
		(default or initial) with rate	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
9 /	117		USPAT;	2004/11/05 15:15
		(default or initial) with rate) and analysis	US-PGPUB;	
		and quality	EPO; JPO;	
			DERWENT;	
-			IBM_TDB	
10	92		USPAT;	2004/11/05 15:15
		(default or initial) with rate) and analysis	US-PGPUB;	
		and quality and @ad<20010508	EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/11/05 15 16
11	31		USPAT;	2004/11/05 15:16
		(default or initial) with rate) and analysis	US-PGPUB;	
1		and quality and @ad<20010508) and (wireless	EPO; JPO;	
	,	or radio or (high adj frequency))	DERWENT;	
			IBM_TDB	

L Number	Hits	Search Text	DB	Time stamp
1	16	link adj quality adj analysis	USPAT;	2004/11/05 14:51
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	1
2	16	(link adj quality adj analysis) and	USPAT;	2004/11/05 14:51
]		@ad<20010508	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
3	3	((link adj quality adj analysis) and	USPAT;	2004/11/05 14:52
		@ad<20010508) and ((dynamic or adaptive)	US-PGPUB;	}
		with (rate or speed))	EPO; JPO;	}
		-	DERWENT;	}
			IBM_TDB	

Search History

L Number	Hits	Search Text	DB	Time stamp
1	117	STANAG\$2	USPAT;	2004/11/05 13:55
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
2	58	STANAG\$2 and "NATO"	USPAT;	2004/11/05 13:55
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
3	8	(STANAG\$2 and "NATO") and (high adj	USPĀT;	2004/11/05 13:56
		frequency)	US-PGPUB;	1
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	